

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 07/03/2020 Reviewed on 07/03/2020

### | Identification

- · Product Identifier
- · Trade Name: Precision Calibration Gas Mixture
- · Product Number: G-115
- · Relevant identified uses of the substance or mixture and uses advised against: Used for calibration of gas measuring devices. Not suitable for human consumption.
- · **Product Description:** Calibration gas mixture consisting of Benzene and Air.
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier: Gasco Affiliates, LLC 320 Scarlett Blvd. Oldsmar, FI 34677

TELEPHONE NUMBER: (800) 910-0051

FAX NUMBER: (866) 755-8920 E-MAIL: info@gascogas.com · Emergency telephone number:

Inside the US: 1-833-723-3267 (Chemtrec, 24 hours) Outside the US: 1-703-527-3887 (Chemtrec, 24 hours)

## ? Hazard(s) Identification

· Classification of the substance or mixture:



Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.

- · Label elements:
- · Hazard pictograms:



- · Signal word: Warning
- · Hazard statements:

H280 Contains gas under pressure; may explode if heated.

· Precautionary statements:

P410+P403 Protect from sunlight. Store in a well-ventilated place.

· Unknown acute toxicity:

100 % of the mixture consists of component(s) of unknown toxicity.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 0

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 07/03/2020 Reviewed on 07/03/2020

Trade Name: Precision Calibration Gas Mixture

· Hazard(s) not otherwise classified (HNOC): None known

## 3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous Components:				
CAS: 71-43-2 RTECS: CY 1400000	Benzene  Flam. Liq. 2, H225; Muta. 1B, H340; Carc. 1A, H350; STOT RE 1, H372; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	0.00005 - 0.02%		
CAS: 7782-44-7	Oxygen ♦ Oxid. Gas 1, H270; ♦ Press. Gas, H280	19.5-23.4%		
CAS: 7727-37-9 RTECS: QW 9700000	Nitrogen   ♦ Press. Gas, H280; Simple Asphyxiant	76.58-80.49995%		

## 4 First-Aid Measures

- · Description of first aid measures
- After inhalation:

Supply fresh air. If required, provide artificial respiration, Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in the side position for transportation.

· After skin contact:

Generally, the product does not irritate the skin.

Wash with soap and water.

If skin irritation occurs, consult a doctor.

· After eye contact:

Not expected as a result of exposure to finished product.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## 5 Fire-Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

Use water spray to cool fire-exposed containers.

- For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture:

Closed containers may explode when exposed to extreme heat.

If incinerated, product will release the following toxic fumes: Oxides of Carbon and Nitrogen (NOx).

Advice for firefighters

This gas mixture is not flammable; however, containers, when involved in fire, may rupture or burst in the heat of the fire.

· Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

(Contd. on page 3)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 07/03/2020 Reviewed on 07/03/2020

Trade Name: Precision Calibration Gas Mixture

#### 6 Accidental Release Measures

#### · Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Keep people at a distance and stay upwind.

Treat any fumes as toxic.

- · Environmental precautions: Inform authorities in case of gas release.
- · Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

- · Handling
- · Precautions for safe handling: No special precautions are necessary if used correctly.
- Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

· Conditions for safe storage, including any incompatibilities

Store away from strong oxidizing agents, strong acids, strong bases, halogens and metallic salts.

- · Storage
- Requirements to be met by storerooms and receptacles:

Cylinders should be firmly secured to prevent falling or being knocked over. Cylinders must be protected from the environment, and preferably kept at room temperature. Cylinders should be stored in dry, well-ventilated areas, away from sources of heat, ignition, and direct sunlight. Protect cylinders against physical damage. Full and empty cylinders should be segregated. Use a "first-on, first-out" inventory system to prevent full containers from being stored for long periods of time.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s): No further relevant information available.

### 8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituents have no known exposure limits.

### 7727-37-9 Nitrogen

TLV withdrawn TLV, see App. F; simple asphyxiant

#### 71-43-2 Benzene

PEL Short-term value: 15\* mg/m³, 5\* ppm Long-term value: 3\* mg/m³, 1\* ppm

\*table Z-2 for exclusions in 29CFR1910.1028(d)

REL Short-term value: 1 ppm Long-term value: 0.1 ppm See Pocket Guide App. A

(Contd. on page 4)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 07/03/2020 Reviewed on 07/03/2020

#### Trade Name: Precision Calibration Gas Mixture

TLV Short-term value: 8 mg/m³, 2.5 ppm Long-term value: 1.6 mg/m<sup>3</sup>, 0.5 ppm

Skin: BEI

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Breathing equipment:

Not required.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

- Protection of hands:
- · Material of gloves: Not applicable.
- · Penetration time of glove material: Not applicable.
- · Eye protection: Not required.

## 9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Gaseous Color: Clear, colorless Clear, colorless

· Odor: Odorless

Odorless

· Odor threshold: Not determined. · pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Not determined. Boiling point/Boiling range: Not determined.

· Flash point: None

· Flammability (solid, gaseous): Product is not flammable.

Decomposition temperature: Not determined.

Product is not self-igniting. · Auto igniting:

· Danger of explosion: Not determined.

· Explosion limits:

Lower: Not determined. Upper: Not determined. · Vapor pressure: Not determined.

· Density:

Relative density: Not determined. Vapor density: Not determined. Evaporation rate: Not applicable.

· Solubility in / Miscibility with:

Water: Not miscible or difficult to mix.

(Contd. on page 5)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 07/03/2020 Reviewed on 07/03/2020

#### Trade Name: Precision Calibration Gas Mixture

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 0.0 %

• Other information: No further relevant information available.

## 10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: Strong oxidizing agents, strong acids, strong bases, halogens and metallic salts.
- · Hazardous decomposition products: Carbon Oxides and Nitrogen Oxides (NOx).

## 11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:				
71-43-2 Benzene				
Oral	LD50	2990 mg/kg (Rat)		
Dermal	LD50	8263 mg/kg (Rabbit)		
Inhalative	LC50/4 h	44.7 mg/l (Rat)		

- · Primary irritant effect:
- · On the skin: No irritating effect.
- · On the eye: No irritating effect.
- Additional toxicological information:
- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

71-43-2 Benzene	1
· NTP (National Toxicology Program):	
71-43-2 Benzene	K
· OSHA-Ca (Occupational Safety & Health Administration):	
71-43-2 Benzene	

(Contd. on page 6)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 07/03/2020 Reviewed on 07/03/2020

Trade Name: Precision Calibration Gas Mixture

## 12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

#### 71-43-2 Benzene

EC50 29.00 mg/l (Green algae)

22.00 mg/l (Water flea)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

### \*13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Release all residual gas pressure in a well ventilated area. Verify the cylinder is completely empty (0 PSIG). Remove or cover any hazard labels. Return empty cylinder for recycling.

NOTE: Check with the local easte authority before placing any gas cylinder into waste container for pickup. GASCO encourages the consumer to return all cylinders.

- · Waste disposal key: The U.S. EPA has not published waste disposal numbers for this product's components.
- · Uncleaned packaging
- · Recommendation: Return cylinder and unused product to supplier.

#### 14 Transport Information

· UN-Number:

· **DOT, ADR/ADN, IMDG, IATA** UN1956

· UN proper shipping name:

DOT Compressed gas, n.o.s.

· ADR/ADN UN1956 Compressed gas, n.o.s. · IMDG, IATA COMPRESSED GAS, N.O.S.

· Transport hazard class(es):

· DOT



· Class: 2.2

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 07/03/2020 Reviewed on 07/03/2020

#### Trade Name: Precision Calibration Gas Mixture

· **Label**: 2.2

· ADR/ADN



· Class: 2.2 1A · Label: 2.2

· IMDG, IATA



· Class: 2.2 · Label: 2.2

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

• Environmental hazards: Not applicable. • Special precautions for user: Not applicable.

Hazard identification number (Kemler code): 20

• **EMS Number:** F-C,S-V

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· Transport/Additional information:

· DOT

• Quantity limitations: On passenger aircraft/rail: 75 kg

On cargo aircraft only: 150 kg

· ADR/ADN

· Excepted quantities (EQ): Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· IMDG

Limited quantities (LQ):
 Excepted quantities (EQ):
 Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

• UN "Model Regulation":

UN 1956 COMPRESSED GAS, N.O.S., 2.2, (E)

## 15 Regulatory Information

- Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

71-43-2 Benzene

(Contd. on page 8)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 07/03/2020 Reviewed on 07/03/2020

#### Trade Name: Precision Calibration Gas Mixture

· TSCA (To	TSCA (Toxic Substances Control Act):		
7727-37-9	Nitrogen		
7782-44-7	Oxygen		
71-43-2	Benzene		

#### · California Proposition 65:

#### · Chemicals known to cause cancer:

71-43-2 Benzene

## · Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

### · Chemicals known to cause reproductive toxicity for males:

71-43-2 Benzene

#### · Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

#### · Carcinogenic categories:

· EPA (Environmental Protection Agency):	
71-43-2 Benzene	A, K/L
TLV (Threshold Limit Value established by ACGIH):	·
71-43-2 Benzene	A1
NIOSH-Ca (National Institute for Occupational Safety and Health):	
71-43-2 Benzene	

#### GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



- Signal word: Warning
- · Hazard statements:

H280 Contains gas under pressure; may explode if heated.

· Precautionary statements:

P410+P403 Protect from sunlight. Store in a well-ventilated place.

#### · National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other Information

### · Relevant phrases:

Gasco Affiliates, LLC, makes not express or implied warranties, guarantees or representations regarding the product of the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Gasco Affilitates, LLC shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use of reliance upon the information herein.

· Date of last revision/ revision number: 07/03/2020 / -

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Reviewed on 07/03/2020 Issue date 07/03/2020

#### Trade Name: Precision Calibration Gas Mixture

#### · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Oxid. Gas 1: Oxidizing gases - Category 1

Press. Gas: Gases under pressure – Compressed gas Press. Gas: Gases under pressure – Dissolved gas

Flam. Liq. 2: Flammable liquids - Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Muta. 1B: Germ cell mutagenicity - Category 1B

Carc. 1A: Carcinogenicity – Category 1A STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Asp. Tox. 1: Aspiration hazard - Category 1

### \* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106